



REPLACEMENT PARTS for **FIAT - IVECO** **FIAT TRACTOR**



Reliable Engineering House



ISO 9001:2008 CERTIFIED

Plot No. 8, Cama Industrial Estate, Goregaon (East),

Mumbai 400 063, INDIA.

Tel.: +91 - 22 - 2685 1428

+91 - 22 - 2685 1435

+91 - 22 - 2685 1438

Email: hercules@reliableengg.com ♦ sales@reliableengg.com

Website: www.reliableengg.com

REPLACEMENT PARTS



Part Nos. / Ref No. / Engine Name / Model are only given for cross reference.



These are few pages from our Catalogue

For our complete catalogue please contact us at

Email: hercules@reliableengg.com

CYLINDER LINER FIAT		CYLINDER LINER FIAT	
			
For FIAT IVECO 8285.022.000	BORE: 145mm	For FIAT IVECO CO 3D, CN 3D, TRACTOR 650, 655, 750, 800, 1300	BORE: 110mm

CYLINDER LINERS

REH NO.	MAKE	MODEL	BORE	REF.NO./PART NO./DETAILS
12883	FIAT	560-1300	110.000MM	08815939, 58112302, 233 WN 04, SJ 351402, 007 WN 27, 89463110
12774	FIAT	361.45	115.000MM	PT.NO.04850230, 58117102 / 89024110, SJ 351431, 223 WN 09
12775	FIAT	8460.41.320.406C/K/L	120.000MM	MAHALE NO.007 WN 45, 21238202, SJ 351427
12697	FIAT IVECO	TRACTOR 650/655	110.000MM	CN 3D, MOV TERRA 5, AD5 CO 3D
16040	FIAT IVECO	560-1300	110.000MM	08815939, 58112302, 233 WN 04, 88827110
16041	FIAT IVECO	8361.45	115.000MM	4850230, 58117102, SJ351431, 223 WN 09, 89024110
16042	FIAT IVECO	220/8200.1	120.000MM	21212102
12884	FIAT IVECO	8285.22.000	145.000MM	007 WN 27, SJ 351402

PISTON FOR FIAT	PISTON FOR FIAT	PISTON FOR FIAT
		
<p>For FIAT 3 Rings Bore: 95.00mm PT. NO. KS 091476600 Rings. 2.50 + 2.50 + 5.50</p>	<p>For FIAT 3 Rings Bore: 100.00mm PT. NO. KS 92628600 Rings. 2.50 + 2.50 + 5.50</p>	
PISTON FOR FIAT IVECO	PISTON FOR FIAT IVECO	PISTON FOR FIAT IVECO
		
<p>For FIAT IVECO 8020/8025/802 CH-59.65, TL-101.15, Bore: 95.00mm Cavity -23.50 x 42.50dia, Pin-32mm Rings. 2.50 + 2.50 + 5.50</p>	<p>For FIAT IVECO 8025.02/8035.02 CH-59.65, TL-101.15, Bore: 100.00mm Cavity -23.65 x 47dia, Pin-32mm Rings. 2.50 + 2.50 + 5.50 Alfin / Plain</p>	<p>For FIAT IVECO 8035.06/8045.06 CH-65.10, TL-108.3, Bore: 100.00mm Cavity -22.7 x 49.10dia, Pin-38mm, Ring-2.50 + 2.50 + 4.0 Alfin / Plain</p>
PISTON FOR FIAT TRACTOR	PISTON FOR FIAT TRACTOR	PISTON FOR FIAT TRACTOR
		
<p>For FIAT TRACTOR 8031.04/8035.04 CH-59.65, TL-101.15, Bore:103.00mm Cavity -22.70 x 50dia, Pin-34mm, Ring-2.50 + 2.50 + 4.0 Alfin / Plain</p>	<p>For FIAT TRACTOR 8030.05/8035.05 CH-65.15, TL-108.5, Bore:104.00mm Cavity -22.5 x 52.30dia, Pin-38mm, Rings. 2.50 + 2.50 + 4.0 Alfin / Plain</p>	<p>For FIAT TRACTOR C03 CH-75.2, TL-150.2, Bore:110.00mm Cavity -27.5 x 51dia, Pin-40mm, Ring-2.5 + 2.5 + 2.5 + 5.0 + 5.0</p>

VALVE FOR FIAT	VALVE FOR FIAT IVECO	
		
<p>For FIAT 780 / UNIVERSAL 445 IN – 4621511 – 44 X 8 X 125.5 With Collar EX-4623601 – 37 X 8 X 125.5</p>	<p>For FIAT IVECO – 8060 / 65.9 IN – 8784888 – 45.5 X 8 X 125.90 EX - 8784889 – 37.7 X 8 X 125.90</p>	
VALVE GUIDE FIAT TRACTOR	VALVE GUIDE FIAT TRACTOR	
		
<p>For FIAT 780 / UNIVERSAL 445 IN / EX – 4802126 – 8 X 14.02 X 56</p>	<p>For FIAT IVECO – 8060 / 65.9 IN / EX – 8 X 14.02 X 55.90</p>	

CONNECTING ROD FOR IVECO		CONNECTING ROD FOR IVECO	
			
For IVECO	4/6 Cyl.	For IVECO	DAILY 35C10/310
OEM Part No.: F4AE0481 / F4AE0681 4898808		OEM Part No.: FIAE 0481 504057276	

CONNECTING RODS

REH. NO.	MAKE	MODEL	REF.NO./PART NO./DETAILS	MATERIAL
60415	FIAT	1.2 / 16 VALVE	1.2, Pin 18mm	D
60030	FIAT	1.3MTJ	LINEA, Pin 23mm, TAPER	D
60028	FIAT	1.9	46768951, Pin 26mm	A
60598	FIAT	UNO DIEDEL 1.9D	Pin 25mm	
60416	FIAT	2.0 MTJ 16V	Pin 30mm, TAPER	B
60597	FIAT	2.2HDI	0603 E4, Pin 30mm, TAPER	D
60414	FIAT	2.2HDI	894333119, 060397, 98 Pin 30mm, TAPER	D
60309	FIAT	2.3TD / 16 VALVES	504057276, Pin 31mm, TAPER	D
60027	FIAT	2.5DJ5T	Pin 34mm, TAPER	B
60599	FIAT TRACTOR	8040	4775229, 4637680, Pin 32mm	A, B
60644	FIAT TRACTOR	8040	4798181, 4679221, Pin 34mm	A, B
60645	FIAT TRACTOR	8040.05	4780624, Pin 38mm	A, B
60680	FIAT TRACTOR	8030	98460411, Pin 38mm, TAPER	A, B
60232	FIAT (RUSSIAN)	LADA (1600 CC)		A, B
60313	IVECO	DAILY	98460411, Pin 38mm, TAPER	B
60314	IVECO	2.5L	500600007, Pin 32mm, TAPER	B
60315	IVECO	2.8JTD	500352497, Pin 32mm, TAPER	B
60318	IVECO	35C10 / 310	504057276, Pin 31mm, TAPER	D
60320	IVECO	35C14 3.0	504113130, Pin 36mm, TAPER	D
60317	IVECO	TECTOR 4/6 CYL.	4898808, Pin 40mm, TAPER	D
60455	IVECO	1.887	504099221, 504099913, Pin 38mm TAPER	E
60456	IVECO	1.872	504099913, Pin 38mm , TAPER	E
60319	IVECO	8210.22/ 8210.42 /	98452330, Pin 50mm, TAPER (TURBO STAR)	B
60453	IVECO	8210.02	4670681, Pin 48mm	C
60452	IVECO	8280.02/8280.22/8280.42	4815044, Pin 55mm	B
60454	IVECO	8365.25	4821454, Pin 42mm	B
60321	IVECO	8460.21 / 8460.41	61319082, Pin 48mm, TAPER	C
60316	IVECO		4724375, Pin 40mm	B

WE ALSO MAKE CONNECTING RODS AS PER CUSTOMER SPECIFICATIONS.

MATERIAL:

A	CK-45 NORMAL PROCESS HAS HARDNESS 160-200 BHN	D	C-70 HAS HARDNESS 252-302 BHN
B	CK-45 NQT PROCESS HAS HARDNESS 200-250 BHN	E	EN-15
C	42CrMo4 MATERIAL & WITH NQT PROCESS HAS HARDNESS 240-280 BHN	F	SAE-8620